



**2M SECTION 2 MM PITCH**

**OMEGA TIMING**

SAMPLE PART # : 232-2M-6

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 90-2M-3     | 90                | 45           |
| 100-2M-3    | 100               | 50           |
| 104-2M-3    | 104               | 52           |
| 112-2M-3    | 112               | 56           |
| 118-2M-3    | 118               | 59           |
| 120-2M-3    | 120               | 60           |
| 124-2M-3    | 124               | 62           |
| 130-2M-3    | 130               | 65           |
| 140-2M-3    | 140               | 70           |
| 90-2M-6     | 90                | 45           |
| 100-2M-6    | 100               | 50           |
| 104-2M-6    | 104               | 52           |
| 112-2M-6    | 112               | 56           |
| 118-2M-6    | 118               | 59           |
| 120-2M-6    | 120               | 60           |
| 124-2M-6    | 124               | 62           |
| 130-2M-6    | 130               | 65           |
| 140-2M-6    | 140               | 70           |
| 90-2M-9     | 90                | 45           |
| 100-2M-9    | 100               | 50           |
| 104-2M-9    | 104               | 52           |
| 112-2M-9    | 112               | 56           |
| 118-2M-9    | 118               | 59           |
| 120-2M-9    | 120               | 60           |
| 124-2M-9    | 124               | 62           |
| 130-2M-9    | 130               | 65           |
| 140-2M-9    | 140               | 70           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 148-2M-3    | 148               | 74           |
| 180-2M-3    | 180               | 90           |
| 184-2M-3    | 184               | 92           |
| 188-2M-3    | 188               | 94           |
| 200-2M-3    | 200               | 100          |
| 208-2M-3    | 208               | 104          |
| 216-2M-3    | 216               | 108          |
| 232-2M-3    | 232               | 116          |
| 250-2M-3    | 250               | 125          |
| 148-2M-6    | 148               | 74           |
| 180-2M-6    | 180               | 90           |
| 184-2M-6    | 184               | 92           |
| 188-2M-6    | 188               | 94           |
| 200-2M-6    | 200               | 100          |
| 208-2M-6    | 208               | 104          |
| 216-2M-6    | 216               | 108          |
| 232-2M-6    | 232               | 116          |
| 250-2M-6    | 250               | 125          |
| 148-2M-9    | 148               | 74           |
| 180-2M-9    | 180               | 90           |
| 184-2M-9    | 184               | 92           |
| 188-2M-9    | 188               | 94           |
| 200-2M-9    | 200               | 100          |
| 208-2M-9    | 208               | 104          |
| 216-2M-9    | 216               | 108          |
| 232-2M-9    | 232               | 116          |
| 250-2M-9    | 250               | 125          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 266-2M-3    | 266               | 133          |
| 274-2M-3    | 274               | 137          |
| 280-2M-3    | 280               | 140          |
| 286-2M-3    | 286               | 143          |
| 308-2M-3    | 308               | 154          |
| 310-2M-3    | 310               | 155          |
| 328-2M-3    | 328               | 164          |
| 330-2M-3    | 330               | 165          |
| 340-2M-3    | 340               | 170          |
| 266-2M-6    | 266               | 133          |
| 274-2M-6    | 274               | 137          |
| 280-2M-6    | 280               | 140          |
| 286-2M-6    | 286               | 143          |
| 308-2M-6    | 308               | 154          |
| 310-2M-6    | 310               | 155          |
| 328-2M-6    | 328               | 164          |
| 330-2M-6    | 330               | 165          |
| 340-2M-6    | 340               | 170          |
| 266-2M-9    | 266               | 133          |
| 274-2M-9    | 274               | 137          |
| 280-2M-9    | 280               | 140          |
| 286-2M-9    | 286               | 143          |
| 308-2M-9    | 308               | 154          |
| 310-2M-9    | 310               | 155          |
| 328-2M-9    | 328               | 164          |
| 330-2M-9    | 330               | 165          |
| 340-2M-9    | 340               | 170          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 370-2M-3    | 370               | 185          |
| 426-2M-3    | 426               | 213          |
| 448-2M-3    | 448               | 224          |
| 558-2M-3    | 558               | 279          |
| 560-2M-3    | 560               | 280          |
| 710-2M-3    | 710               | 355          |
| 984-2M-3    | 984               | 492          |
| 1066-2M-3   | 1066              | 533          |
| 1224-2M-3   | 1224              | 612          |
| 370-2M-6    | 370               | 185          |
| 426-2M-6    | 426               | 213          |
| 448-2M-6    | 448               | 224          |
| 558-2M-6    | 558               | 279          |
| 560-2M-6    | 560               | 280          |
| 710-2M-6    | 710               | 355          |
| 984-2M-6    | 984               | 492          |
| 1066-2M-6   | 1066              | 533          |
| 1224-2M-6   | 1224              | 612          |
| 370-2M-9    | 370               | 185          |
| 426-2M-9    | 426               | 213          |
| 448-2M-9    | 448               | 224          |
| 558-2M-9    | 558               | 279          |
| 560-2M-9    | 560               | 280          |
| 710-2M-9    | 710               | 355          |
| 984-2M-9    | 984               | 492          |
| 1066-2M-9   | 1066              | 533          |
| 1224-2M-9   | 1224              | 612          |

**CUT TO SIZE WIDTHS**

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths.  
This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

**EXPEDITED SHIPPING:** Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

**EXAMPLE SIZING:**

Part Number: 184-2M-3

184 = 184 mm Pitch Length 2M = Section & Construction 3 = 3 mm Belt Width

Part Number: 308-2M-9

308 = 150 mm Pitch Length 2M = Section & Construction 9 = 9 mm Belt Width



SAMPLE PART # :339-3M-6

## OMEGA TIMING

3M SECTION 3 MM PITCH

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 111-3M-6    | 111               | 37           |
| 129-3M-6    | 129               | 43           |
| 141-3M-6    | 141               | 47           |
| 144-3M-6    | 144               | 48           |
| 150-3M-6    | 150               | 50           |
| 165-3M-6    | 165               | 55           |
| 168-3M-6    | 168               | 56           |
| 174-3M-6    | 174               | 58           |
| 177-3M-6    | 177               | 59           |
| 180-3M-6    | 180               | 60           |
| 183-3M-6    | 183               | 61           |
| 186-3M-6    | 186               | 62           |
| 192-3M-6    | 192               | 64           |
| 195-3M-6    | 195               | 65           |
| 201-3M-6    | 201               | 67           |
| 204-3M-6    | 204               | 68           |
| 207-3M-6    | 207               | 69           |
| 210-3M-6    | 210               | 70           |
| 213-3M-6    | 213               | 71           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 225-3M-6    | 225               | 75           |
| 240-3M-6    | 240               | 80           |
| 252-3M-6    | 252               | 84           |
| 255-3M-6    | 255               | 85           |
| 267-3M-6    | 267               | 89           |
| 285-3M-6    | 285               | 85           |
| 288-3M-6    | 288               | 96           |
| 291-3M-6    | 291               | 97           |
| 294-3M-6    | 294               | 98           |
| 300-3M-6    | 300               | 100          |
| 312-3M-6    | 312               | 104          |
| 315-3M-6    | 315               | 105          |
| 318-3M-6    | 318               | 106          |
| 330-3M-6    | 330               | 110          |
| 339-3M-6    | 339               | 113          |
| 345-3M-6    | 345               | 115          |
| 357-3M-6    | 357               | 119          |
| 363-3M-6    | 363               | 121          |
| 366-3M-6    | 366               | 122          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 384-3M-6    | 384               | 128          |
| 390-3M-6    | 390               | 130          |
| 420-3M-6    | 420               | 140          |
| 426-3M-6    | 426               | 142          |
| 447-3M-6    | 447               | 149          |
| 462-3M-6    | 462               | 154          |
| 474-3M-6    | 474               | 158          |
| 480-3M-6    | 480               | 160          |
| 486-3M-6    | 486               | 162          |
| 495-3M-6    | 495               | 165          |
| 501-3M-6    | 501               | 167          |
| 513-3M-6    | 513               | 171          |
| 519-3M-6    | 519               | 173          |
| 522-3M-6    | 522               | 174          |
| 525-3M-6    | 525               | 175          |
| 531-3M-6    | 531               | 177          |
| 537-3M-6    | 537               | 179          |
| 558-3M-6    | 558               | 186          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 564-3M-6    | 564               | 188          |
| 570-3M-6    | 570               | 190          |
| 597-3M-6    | 597               | 199          |
| 600-3M-6    | 600               | 200          |
| 606-3M-6    | 606               | 202          |
| 615-3M-6    | 615               | 205          |
| 633-3M-6    | 633               | 211          |
| 669-3M-6    | 669               | 223          |
| 675-3M-6    | 675               | 225          |
| 711-3M-6    | 711               | 237          |
| 738-3M-6    | 738               | 237          |
| 804-3M-6    | 804               | 268          |
| 843-3M-6    | 843               | 281          |
| 882-3M-6    | 882               | 294          |
| 888-3M-6    | 888               | 296          |
| 1062-3M-6   | 1062              | 354          |
| 1569-3M-6   | 1569              | 523          |
| 1587-3M-6   | 1587              | 529          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 111-3M-9    | 111               | 37           |
| 129-3M-9    | 129               | 43           |
| 141-3M-9    | 141               | 47           |
| 144-3M-9    | 144               | 48           |
| 150-3M-9    | 150               | 50           |
| 165-3M-9    | 165               | 55           |
| 168-3M-9    | 168               | 56           |
| 174-3M-9    | 174               | 58           |
| 177-3M-9    | 177               | 59           |
| 180-3M-9    | 180               | 60           |
| 183-3M-9    | 183               | 61           |
| 186-3M-9    | 186               | 62           |
| 192-3M-9    | 192               | 64           |
| 195-3M-9    | 195               | 65           |
| 201-3M-9    | 201               | 67           |
| 204-3M-9    | 204               | 68           |
| 207-3M-9    | 207               | 69           |
| 210-3M-9    | 210               | 70           |
| 213-3M-9    | 213               | 71           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 225-3M-9    | 225               | 75           |
| 240-3M-9    | 240               | 80           |
| 252-3M-9    | 252               | 84           |
| 255-3M-9    | 255               | 85           |
| 267-3M-9    | 267               | 89           |
| 285-3M-9    | 285               | 85           |
| 288-3M-9    | 288               | 96           |
| 291-3M-9    | 291               | 97           |
| 294-3M-9    | 294               | 98           |
| 300-3M-9    | 300               | 100          |
| 312-3M-9    | 312               | 104          |
| 315-3M-9    | 315               | 105          |
| 318-3M-9    | 318               | 106          |
| 330-3M-9    | 330               | 110          |
| 339-3M-9    | 339               | 113          |
| 345-3M-9    | 345               | 115          |
| 357-3M-9    | 357               | 119          |
| 363-3M-9    | 363               | 121          |
| 366-3M-9    | 366               | 122          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 384-3M-9    | 384               | 128          |
| 390-3M-9    | 390               | 130          |
| 420-3M-9    | 420               | 140          |
| 426-3M-9    | 426               | 142          |
| 447-3M-9    | 447               | 149          |
| 462-3M-9    | 462               | 154          |
| 474-3M-9    | 474               | 158          |
| 480-3M-9    | 480               | 160          |
| 486-3M-9    | 486               | 162          |
| 495-3M-9    | 495               | 165          |
| 501-3M-9    | 501               | 167          |
| 513-3M-9    | 513               | 171          |
| 519-3M-9    | 519               | 173          |
| 522-3M-9    | 522               | 174          |
| 525-3M-9    | 525               | 175          |
| 531-3M-9    | 531               | 177          |
| 537-3M-9    | 537               | 179          |
| 558-3M-9    | 558               | 186          |
| 564-3M-9    | 564               | 188          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 570-3M-9    | 570               | 190          |
| 597-3M-9    | 597               | 199          |
| 600-3M-9    | 600               | 200          |
| 606-3M-9    | 606               | 202          |
| 615-3M-9    | 615               | 205          |
| 633-3M-9    | 633               | 211          |
| 669-3M-9    | 669               | 223          |
| 675-3M-9    | 675               | 225          |
| 711-3M-9    | 711               | 237          |
| 738-3M-9    | 738               | 237          |
| 804-3M-9    | 804               | 268          |
| 843-3M-9    | 843               | 281          |
| 882-3M-9    | 882               | 294          |
| 888-3M-9    | 888               | 296          |
| 1062-3M-9   | 1062              | 354          |
| 1569-3M-9   | 1569              | 523          |
| 1587-3M-9   | 1587              | 529          |

3M CONTINUED PG 64

OMEGA 3M  
TIMING

### EXAMPLE SIZING:

Part Number: 711-3M-6

711 = 711 mm Pitch Length 3M = Section & Construction 6 = 6 mm Belt Width

Part Number: 183-3M-9

183 = 183 mm Pitch Length 3M = Section & Construction 9 = 9 mm Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

**EXPEDITED SHIPPING:** Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



**3M** SECTION 3 MM PITCH

**OMEGA TIMING**

SAMPLE PART # : 300-3M-15

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 111-3M-15   | 111               | 37           |
| 129-3M-15   | 129               | 43           |
| 141-3M-15   | 141               | 47           |
| 144-3M-15   | 144               | 48           |
| 150-3M-15   | 150               | 50           |
| 165-3M-15   | 165               | 55           |
| 168-3M-15   | 168               | 56           |
| 174-3M-15   | 174               | 58           |
| 177-3M-15   | 177               | 59           |
| 180-3M-15   | 180               | 60           |
| 183-3M-15   | 183               | 61           |
| 186-3M-15   | 186               | 62           |
| 192-3M-15   | 192               | 64           |
| 195-3M-15   | 195               | 65           |
| 201-3M-15   | 201               | 67           |
| 204-3M-15   | 204               | 68           |
| 207-3M-15   | 207               | 69           |
| 210-3M-15   | 210               | 70           |
| 213-3M-15   | 213               | 71           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 225-3M-15   | 225               | 75           |
| 240-3M-15   | 240               | 80           |
| 252-3M-15   | 252               | 84           |
| 255-3M-15   | 255               | 85           |
| 267-3M-15   | 267               | 89           |
| 285-3M-15   | 285               | 85           |
| 288-3M-15   | 288               | 96           |
| 291-3M-15   | 291               | 97           |
| 294-3M-15   | 294               | 98           |
| 300-3M-15   | 300               | 100          |
| 312-3M-15   | 312               | 104          |
| 315-3M-15   | 315               | 105          |
| 318-3M-15   | 318               | 106          |
| 330-3M-15   | 330               | 110          |
| 339-3M-15   | 339               | 113          |
| 345-3M-15   | 345               | 115          |
| 357-3M-15   | 357               | 119          |
| 363-3M-15   | 363               | 121          |
| 366-3M-15   | 366               | 122          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 384-3M-15   | 384               | 128          |
| 390-3M-15   | 390               | 130          |
| 420-3M-15   | 420               | 140          |
| 426-3M-15   | 426               | 142          |
| 447-3M-15   | 447               | 149          |
| 462-3M-15   | 462               | 154          |
| 474-3M-15   | 474               | 158          |
| 480-3M-15   | 480               | 160          |
| 486-3M-15   | 486               | 162          |
| 495-3M-15   | 495               | 165          |
| 501-3M-15   | 501               | 167          |
| 513-3M-15   | 513               | 171          |
| 519-3M-15   | 519               | 173          |
| 522-3M-15   | 522               | 174          |
| 525-3M-15   | 525               | 175          |
| 531-3M-15   | 531               | 177          |
| 537-3M-15   | 537               | 179          |
| 558-3M-15   | 558               | 186          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 564-3M-15   | 564               | 188          |
| 570-3M-15   | 570               | 190          |
| 597-3M-15   | 597               | 199          |
| 600-3M-15   | 600               | 200          |
| 606-3M-15   | 606               | 202          |
| 615-3M-15   | 615               | 205          |
| 633-3M-15   | 633               | 211          |
| 669-3M-15   | 669               | 223          |
| 675-3M-15   | 675               | 225          |
| 711-3M-15   | 711               | 237          |
| 738-3M-15   | 738               | 237          |
| 804-3M-15   | 804               | 268          |
| 843-3M-15   | 843               | 281          |
| 882-3M-15   | 882               | 294          |
| 888-3M-15   | 888               | 296          |
| 1062-3M-15  | 1062              | 354          |
| 1569-3M-15  | 1569              | 523          |
| 1587-3M-15  | 1587              | 529          |

**CUT TO SIZE WIDTHS**

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

**EXPEDITED SHIPPING:** Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

**EXAMPLE SIZING:**

Part Number: 294-3M-15

294 = 294 mm Pitch Length    3M = Profile & Construction    15 = 15 mm Belt Width

Part Number: 1062-3M-15

1062 = 1062 mm Pitch Length    3M = Profile & Construction    15 = 15 mm Belt Width



SAMPLE PART # : 400-5M-15

## OMEGA TIMING

5M SECTION 5 MM PITCH

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 180-5M-9    | 180               | 36           |
| 225-5M-9    | 225               | 45           |
| 255-5M-9    | 255               | 51           |
| 265-5M-9    | 265               | 53           |
| 270-5M-9    | 270               | 54           |
| 280-5M-9    | 280               | 56           |
| 295-5M-9    | 295               | 59           |
| 305-5M-9    | 305               | 61           |
| 325-5M-9    | 325               | 65           |
| 330-5M-9    | 330               | 66           |
| 340-5M-9    | 340               | 68           |
| 350-5M-9    | 350               | 70           |
| 360-5M-9    | 360               | 72           |
| 365-5M-9    | 365               | 73           |
| 370-5M-9    | 370               | 74           |
| 375-5M-9    | 375               | 75           |
| 385-5M-9    | 385               | 77           |
| 400-5M-9    | 400               | 80           |
| 415-5M-9    | 415               | 83           |
| 425-5M-9    | 425               | 85           |
| 450-5M-9    | 450               | 90           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 475-5M-9    | 475               | 95           |
| 490-5M-9    | 490               | 98           |
| 500-5M-9    | 500               | 100          |
| 520-5M-9    | 520               | 104          |
| 525-5M-9    | 525               | 105          |
| 535-5M-9    | 535               | 107          |
| 540-5M-9    | 540               | 108          |
| 550-5M-9    | 550               | 110          |
| 560-5M-9    | 560               | 112          |
| 565-5M-9    | 565               | 113          |
| 575-5M-9    | 575               | 115          |
| 580-5M-9    | 580               | 116          |
| 600-5M-9    | 600               | 120          |
| 610-5M-9    | 610               | 122          |
| 615-5M-9    | 615               | 123          |
| 630-5M-9    | 630               | 126          |
| 635-5M-9    | 635               | 127          |
| 640-5M-9    | 640               | 128          |
| 645-5M-9    | 645               | 129          |
| 665-5M-9    | 665               | 133          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 670-5M-9    | 670               | 134          |
| 700-5M-9    | 700               | 140          |
| 710-5M-9    | 710               | 142          |
| 740-5M-9    | 740               | 148          |
| 750-5M-9    | 750               | 150          |
| 755-5M-9    | 755               | 151          |
| 775-5M-9    | 775               | 155          |
| 790-5M-9    | 790               | 158          |
| 800-5M-9    | 800               | 160          |
| 825-5M-9    | 825               | 165          |
| 835-5M-9    | 835               | 167          |
| 850-5M-9    | 850               | 170          |
| 860-5M-9    | 860               | 172          |
| 890-5M-9    | 890               | 178          |
| 900-5M-9    | 900               | 180          |
| 925-5M-9    | 925               | 185          |
| 935-5M-9    | 935               | 187          |
| 950-5M-9    | 950               | 190          |
| 965-5M-9    | 965               | 193          |
| 980-5M-9    | 980               | 196          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1000-5M-9   | 1000              | 200          |
| 1035-5M-9   | 1035              | 207          |
| 1050-5M-9   | 1050              | 210          |
| 1100-5M-9   | 1100              | 220          |
| 1125-5M-9   | 1125              | 225          |
| 1135-5M-9   | 1135              | 227          |
| 1200-5M-9   | 1200              | 240          |
| 1270-5M-9   | 1270              | 254          |
| 1420-5M-9   | 1420              | 284          |
| 1425-5M-9   | 1425              | 285          |
| 1500-5M-9   | 1500              | 300          |
| 1595-5M-9   | 1595              | 319          |
| 1690-5M-9   | 1690              | 338          |
| 1790-5M-9   | 1790              | 358          |
| 1870-5M-9   | 1870              | 374          |
| 1895-5M-9   | 1895              | 379          |
| 2000-5M-9   | 2000              | 400          |
| 2110-5M-9   | 2110              | 422          |
| 2350-5M-9   | 2350              | 470          |
| 2525-5M-9   | 2525              | 505          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 180-5M-15   | 180               | 36           |
| 225-5M-15   | 225               | 45           |
| 255-5M-15   | 255               | 51           |
| 265-5M-15   | 265               | 53           |
| 270-5M-15   | 270               | 54           |
| 280-5M-15   | 280               | 56           |
| 295-5M-15   | 295               | 59           |
| 305-5M-15   | 305               | 61           |
| 325-5M-15   | 325               | 65           |
| 330-5M-15   | 330               | 66           |
| 340-5M-15   | 340               | 68           |
| 350-5M-15   | 350               | 70           |
| 360-5M-15   | 360               | 72           |
| 365-5M-15   | 365               | 73           |
| 370-5M-15   | 370               | 74           |
| 375-5M-15   | 375               | 75           |
| 385-5M-15   | 385               | 77           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 400-5M-15   | 400               | 80           |
| 415-5M-15   | 415               | 83           |
| 425-5M-15   | 425               | 85           |
| 450-5M-15   | 450               | 90           |
| 475-5M-15   | 475               | 95           |
| 490-5M-15   | 490               | 98           |
| 500-5M-15   | 500               | 100          |
| 520-5M-15   | 520               | 104          |
| 525-5M-15   | 525               | 105          |
| 535-5M-15   | 535               | 107          |
| 540-5M-15   | 540               | 108          |
| 550-5M-15   | 550               | 110          |
| 560-5M-15   | 560               | 112          |
| 565-5M-15   | 565               | 113          |
| 575-5M-15   | 575               | 115          |
| 580-5M-15   | 580               | 116          |
| 600-5M-15   | 600               | 120          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 610-5M-15   | 610               | 122          |
| 615-5M-15   | 615               | 123          |
| 630-5M-15   | 630               | 126          |
| 635-5M-15   | 635               | 127          |
| 640-5M-15   | 640               | 128          |
| 645-5M-15   | 645               | 129          |
| 665-5M-15   | 665               | 133          |
| 670-5M-15   | 670               | 134          |
| 700-5M-15   | 700               | 140          |
| 710-5M-15   | 710               | 142          |
| 740-5M-15   | 740               | 148          |
| 750-5M-15   | 750               | 150          |
| 755-5M-15   | 755               | 151          |
| 775-5M-15   | 775               | 155          |
| 790-5M-15   | 790               | 158          |
| 800-5M-15   | 800               | 160          |
| 825-5M-15   | 825               | 165          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 835-5M-15   | 835               | 167          |
| 850-5M-15   | 850               | 170          |
| 860-5M-15   | 860               | 172          |
| 890-5M-15   | 890               | 178          |
| 900-5M-15   | 900               | 180          |
| 925-5M-15   | 925               | 185          |
| 935-5M-15   | 935               | 187          |
| 950-5M-15   | 950               | 190          |
| 965-5M-15   | 965               | 193          |
| 980-5M-15   | 980               | 196          |
| 1000-5M-15  | 1000              | 200          |
| 1035-5M-15  | 1035              | 207          |
| 1050-5M-15  | 1050              | 210          |
| 1100-5M-15  | 1100              | 220          |
| 1125-5M-15  | 1125              | 225          |

5M CONTINUED PG#

OMEGA 5M  
TIMING

### EXAMPLE SIZING:

Part Number: 365-5M-9

365 = 365 mm Pitch Length 5M = Profile & Construction 9 = 9 mm Belt Width

Part Number: 800-5M-15

800 = 800 mm Pitch Length 5M = Profile & Construction 15 = 15 mm Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

**EXPEDITED SHIPPING:** Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



**5M SECTION 5 MM PITCH**

**OMEGA TIMING**

SAMPLE PART # : 1100-5M-25

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1135-5M-15  | 1135              | 227          |
| 1200-5M-15  | 1200              | 240          |
| 1270-5M-15  | 1270              | 254          |
| 1420-5M-15  | 1420              | 284          |
| 180-5M-25   | 180               | 36           |
| 225-5M-25   | 225               | 45           |
| 255-5M-25   | 255               | 51           |
| 265-5M-25   | 265               | 53           |
| 270-5M-25   | 270               | 54           |
| 280-5M-25   | 280               | 56           |
| 295-5M-25   | 295               | 59           |
| 305-5M-25   | 305               | 61           |
| 325-5M-25   | 325               | 65           |
| 330-5M-25   | 330               | 66           |
| 340-5M-25   | 340               | 68           |
| 350-5M-25   | 350               | 70           |
| 360-5M-25   | 360               | 72           |
| 365-5M-25   | 365               | 73           |
| 370-5M-25   | 370               | 74           |
| 375-5M-25   | 375               | 75           |
| 385-5M-25   | 385               | 77           |
| 400-5M-25   | 400               | 80           |
| 415-5M-25   | 415               | 83           |
| 425-5M-25   | 425               | 85           |
| 450-5M-25   | 450               | 90           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1425-5M-15  | 1425              | 285          |
| 1500-5M-15  | 1500              | 300          |
| 1595-5M-15  | 1595              | 319          |
| 1690-5M-15  | 1690              | 338          |
| 475-5M-25   | 475               | 95           |
| 490-5M-25   | 490               | 98           |
| 500-5M-25   | 500               | 100          |
| 520-5M-25   | 520               | 104          |
| 525-5M-25   | 525               | 105          |
| 535-5M-25   | 535               | 107          |
| 540-5M-25   | 540               | 108          |
| 550-5M-25   | 550               | 110          |
| 560-5M-25   | 560               | 112          |
| 565-5M-25   | 565               | 113          |
| 575-5M-25   | 575               | 115          |
| 580-5M-25   | 580               | 116          |
| 600-5M-25   | 600               | 120          |
| 610-5M-25   | 610               | 122          |
| 615-5M-25   | 615               | 123          |
| 630-5M-25   | 630               | 126          |
| 635-5M-25   | 635               | 127          |
| 640-5M-25   | 640               | 128          |
| 645-5M-25   | 645               | 129          |
| 665-5M-25   | 665               | 133          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1790-5M-15  | 1790              | 358          |
| 1870-5M-15  | 1870              | 374          |
| 1895-5M-15  | 1895              | 379          |
| 2000-5M-15  | 2000              | 400          |
| 670-5M-25   | 670               | 134          |
| 700-5M-25   | 700               | 140          |
| 710-5M-25   | 710               | 142          |
| 740-5M-25   | 740               | 148          |
| 750-5M-25   | 750               | 150          |
| 755-5M-25   | 755               | 151          |
| 775-5M-25   | 775               | 155          |
| 790-5M-25   | 790               | 158          |
| 800-5M-25   | 800               | 160          |
| 825-5M-25   | 825               | 165          |
| 835-5M-25   | 835               | 167          |
| 850-5M-25   | 850               | 170          |
| 860-5M-25   | 860               | 172          |
| 890-5M-25   | 890               | 178          |
| 900-5M-25   | 900               | 180          |
| 925-5M-25   | 925               | 185          |
| 935-5M-25   | 935               | 187          |
| 950-5M-25   | 950               | 190          |
| 965-5M-25   | 965               | 193          |
| 980-5M-25   | 980               | 196          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 2110-5M-15  | 2110              | 422          |
| 2350-5M-15  | 2350              | 470          |
| 2525-5M-15  | 2525              | 505          |
| 1000-5M-25  | 1000              | 200          |
| 1035-5M-25  | 1035              | 207          |
| 1050-5M-25  | 1050              | 210          |
| 1100-5M-25  | 1100              | 220          |
| 1125-5M-25  | 1125              | 225          |
| 1135-5M-25  | 1135              | 227          |
| 1200-5M-25  | 1200              | 240          |
| 1270-5M-25  | 1270              | 254          |
| 1420-5M-25  | 1420              | 284          |
| 1425-5M-25  | 1425              | 285          |
| 1500-5M-25  | 1500              | 300          |
| 1595-5M-25  | 1595              | 319          |
| 1690-5M-25  | 1690              | 338          |
| 1790-5M-25  | 1790              | 358          |
| 1870-5M-25  | 1870              | 374          |
| 1895-5M-25  | 1895              | 379          |
| 2000-5M-25  | 2000              | 400          |
| 2110-5M-25  | 2110              | 422          |
| 2350-5M-25  | 2350              | 470          |
| 2525-5M-25  | 2525              | 505          |

**CUT TO SIZE WIDTHS**

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

**EXPEDITED SHIPPING:** Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

**EXAMPLE SIZING:**

Part Number: 294-3M-15

294 = 294 mm Pitch Length 3M = Profile & Construction 15 = 15 mm Belt Width

Part Number: 1062-3M-15

1062 = 1062 mm Pitch Length 3M = Profile & Construction 15 = 15 mm Belt Width



SAMPLE PART # : 880-8M-50

## OMEGA TIMING

8M SECTION 8 MM PITCH

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 320-8M-20   | 320               | 40           |
| 376-8M-20   | 376               | 47           |
| 424-8M-20   | 424               | 53           |
| 480-8M-20   | 480               | 60           |
| 512-8M-20   | 512               | 64           |
| 520-8M-20   | 520               | 65           |
| 560-8M-20   | 560               | 70           |
| 576-8M-20   | 576               | 72           |
| 600-8M-20   | 600               | 75           |
| 608-8M-20   | 608               | 76           |
| 624-8M-20   | 624               | 78           |
| 632-8M-20   | 632               | 79           |
| 640-8M-20   | 640               | 80           |
| 656-8M-20   | 656               | 82           |
| 680-8M-20   | 680               | 85           |
| 712-8M-20   | 712               | 89           |
| 720-8M-20   | 720               | 90           |
| 760-8M-20   | 760               | 95           |
| 776-8M-20   | 776               | 97           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 784-8M-20   | 784               | 98           |
| 800-8M-20   | 800               | 100          |
| 824-8M-20   | 824               | 103          |
| 840-8M-20   | 840               | 105          |
| 848-8M-20   | 848               | 106          |
| 856-8M-20   | 856               | 107          |
| 880-8M-20   | 880               | 110          |
| 896-8M-20   | 896               | 112          |
| 912-8M-20   | 912               | 114          |
| 920-8M-20   | 920               | 115          |
| 960-8M-20   | 960               | 120          |
| 976-8M-20   | 976               | 122          |
| 1000-8M-20  | 1000              | 125          |
| 1040-8M-20  | 1040              | 130          |
| 1056-8M-20  | 1056              | 132          |
| 1064-8M-20  | 1064              | 133          |
| 1080-8M-20  | 1080              | 135          |
| 1096-8M-20  | 1096              | 137          |
| 1120-8M-20  | 1120              | 140          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1128-8M-20  | 1128              | 141          |
| 1160-8M-20  | 1160              | 145          |
| 1184-8M-20  | 1184              | 148          |
| 1200-8M-20  | 1200              | 150          |
| 1216-8M-20  | 1216              | 152          |
| 1224-8M-20  | 1224              | 153          |
| 1248-8M-20  | 1248              | 156          |
| 1256-8M-20  | 1256              | 157          |
| 1264-8M-20  | 1264              | 158          |
| 1280-8M-20  | 1280              | 160          |
| 1304-8M-20  | 1304              | 163          |
| 1328-8M-20  | 1328              | 166          |
| 1344-8M-20  | 1344              | 168          |
| 1360-8M-20  | 1360              | 170          |
| 1400-8M-20  | 1400              | 175          |
| 1424-8M-20  | 1424              | 178          |
| 1432-8M-20  | 1432              | 179          |
| 1440-8M-20  | 1440              | 180          |
| 1520-8M-20  | 1520              | 190          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1552-8M-20  | 1552              | 194          |
| 1600-8M-20  | 1600              | 200          |
| 1680-8M-20  | 1680              | 210          |
| 1696-8M-20  | 1696              | 212          |
| 1728-8M-20  | 1728              | 216          |
| 1760-8M-20  | 1760              | 220          |
| 1800-8M-20  | 1800              | 225          |
| 1904-8M-20  | 1904              | 238          |
| 1936-8M-20  | 1936              | 242          |
| 2000-8M-20  | 2000              | 250          |
| 2080-8M-20  | 2080              | 260          |
| 2104-8M-20  | 2104              | 263          |
| 2240-8M-20  | 2240              | 280          |
| 2248-8M-20  | 2248              | 281          |
| 2272-8M-20  | 2272              | 284          |
| 2400-8M-20  | 2400              | 300          |
| 2504-8M-20  | 2504              | 313          |
| 2600-8M-20  | 2600              | 325          |
| 2800-8M-20  | 2800              | 350          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 320-8M-30   | 320               | 40           |
| 376-8M-30   | 376               | 47           |
| 424-8M-30   | 424               | 53           |
| 480-8M-30   | 480               | 60           |
| 512-8M-30   | 512               | 64           |
| 520-8M-30   | 520               | 65           |
| 560-8M-30   | 560               | 70           |
| 576-8M-30   | 576               | 72           |
| 600-8M-30   | 600               | 75           |
| 608-8M-30   | 608               | 76           |
| 624-8M-30   | 624               | 78           |
| 632-8M-30   | 632               | 79           |
| 640-8M-30   | 640               | 80           |
| 656-8M-30   | 656               | 82           |
| 680-8M-30   | 680               | 85           |
| 712-8M-30   | 712               | 89           |
| 720-8M-30   | 720               | 90           |
| 760-8M-30   | 760               | 95           |
| 776-8M-30   | 776               | 97           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 784-8M-30   | 784               | 98           |
| 800-8M-30   | 800               | 100          |
| 824-8M-30   | 824               | 103          |
| 840-8M-30   | 840               | 105          |
| 848-8M-30   | 848               | 106          |
| 856-8M-30   | 856               | 107          |
| 880-8M-30   | 880               | 110          |
| 896-8M-30   | 896               | 112          |
| 912-8M-30   | 912               | 114          |
| 920-8M-30   | 920               | 115          |
| 960-8M-30   | 960               | 120          |
| 976-8M-30   | 976               | 122          |
| 1000-8M-30  | 1000              | 125          |
| 1040-8M-30  | 1040              | 130          |
| 1056-8M-30  | 1056              | 132          |
| 1064-8M-30  | 1064              | 133          |
| 1080-8M-30  | 1080              | 135          |
| 1096-8M-30  | 1096              | 137          |
| 1120-8M-30  | 1120              | 140          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1128-8M-30  | 1128              | 141          |
| 1160-8M-30  | 1160              | 145          |
| 1184-8M-30  | 1184              | 148          |
| 1200-8M-30  | 1200              | 150          |
| 1216-8M-30  | 1216              | 152          |
| 1224-8M-30  | 1224              | 153          |
| 1248-8M-30  | 1248              | 156          |
| 1256-8M-30  | 1256              | 157          |
| 1264-8M-30  | 1264              | 158          |
| 1280-8M-30  | 1280              | 160          |
| 1304-8M-30  | 1304              | 163          |
| 1328-8M-30  | 1328              | 166          |
| 1344-8M-30  | 1344              | 168          |
| 1360-8M-30  | 1360              | 170          |
| 1400-8M-30  | 1400              | 175          |
| 1424-8M-30  | 1424              | 178          |
| 1432-8M-30  | 1432              | 179          |
| 1440-8M-30  | 1440              | 180          |
| 1520-8M-30  | 1520              | 190          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1552-8M-30  | 1552              | 194          |
| 1600-8M-30  | 1600              | 200          |
| 1680-8M-30  | 1680              | 210          |
| 1696-8M-30  | 1696              | 212          |
| 1728-8M-30  | 1728              | 216          |
| 1760-8M-30  | 1760              | 220          |
| 1800-8M-30  | 1800              | 225          |
| 1904-8M-30  | 1904              | 238          |
| 1936-8M-30  | 1936              | 242          |
| 2000-8M-30  | 2000              | 250          |
| 2080-8M-30  | 2080              | 260          |
| 2104-8M-30  | 2104              | 263          |
| 2240-8M-30  | 2240              | 280          |
| 2248-8M-30  | 2248              | 281          |
| 2272-8M-30  | 2272              | 284          |
| 2400-8M-30  | 2400              | 300          |
| 2504-8M-30  | 2504              | 313          |
| 2600-8M-30  | 2600              | 325          |
| 2800-8M-30  | 2800              | 350          |

8M CONTINUED PG 68

OMEGA 8M  
TIMING

### EXAMPLE SIZING:

Part Number: 848-8M-20

848 = 848 mm Pitch Length 8M = Profile & Construction 20 = 20 mm Belt Width

Part Number: 376-8M-30

376 = 376 mm Pitch Length 8M = Profile & Construction 30 = 30 mm Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

**EXPEDITED SHIPPING:** Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.



**8M SECTION 8 MM PITCH**

**OMEGA TIMING**

SAMPLE PART # : 784-8M-85

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 320-8M-50   | 320               | 40           |
| 376-8M-50   | 376               | 47           |
| 424-8M-50   | 424               | 53           |
| 480-8M-50   | 480               | 60           |
| 512-8M-50   | 512               | 64           |
| 520-8M-50   | 520               | 65           |
| 560-8M-50   | 560               | 70           |
| 576-8M-50   | 576               | 72           |
| 600-8M-50   | 600               | 75           |
| 608-8M-50   | 608               | 76           |
| 624-8M-50   | 624               | 78           |
| 632-8M-50   | 632               | 79           |
| 640-8M-50   | 640               | 80           |
| 656-8M-50   | 656               | 82           |
| 680-8M-50   | 680               | 85           |
| 712-8M-50   | 712               | 89           |
| 720-8M-50   | 720               | 90           |
| 760-8M-50   | 760               | 95           |
| 776-8M-50   | 776               | 97           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 784-8M-50   | 784               | 98           |
| 800-8M-50   | 800               | 100          |
| 824-8M-50   | 824               | 103          |
| 840-8M-50   | 840               | 105          |
| 848-8M-50   | 848               | 106          |
| 856-8M-50   | 856               | 107          |
| 880-8M-50   | 880               | 110          |
| 896-8M-50   | 896               | 112          |
| 912-8M-50   | 912               | 114          |
| 920-8M-50   | 920               | 115          |
| 960-8M-50   | 960               | 120          |
| 976-8M-50   | 976               | 122          |
| 1000-8M-50  | 1000              | 125          |
| 1040-8M-50  | 1040              | 130          |
| 1056-8M-50  | 1056              | 132          |
| 1064-8M-50  | 1064              | 133          |
| 1080-8M-50  | 1080              | 135          |
| 1096-8M-50  | 1096              | 137          |
| 1120-8M-50  | 1120              | 140          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1128-8M-50  | 1128              | 141          |
| 1160-8M-50  | 1160              | 145          |
| 1184-8M-50  | 1184              | 148          |
| 1200-8M-50  | 1200              | 150          |
| 1216-8M-50  | 1216              | 152          |
| 1224-8M-50  | 1224              | 153          |
| 1248-8M-50  | 1248              | 156          |
| 1256-8M-50  | 1256              | 157          |
| 1264-8M-50  | 1264              | 158          |
| 1280-8M-50  | 1280              | 160          |
| 1304-8M-50  | 1304              | 163          |
| 1328-8M-50  | 1328              | 166          |
| 1344-8M-50  | 1344              | 168          |
| 1360-8M-50  | 1360              | 170          |
| 1400-8M-50  | 1400              | 175          |
| 1424-8M-50  | 1424              | 178          |
| 1432-8M-50  | 1432              | 179          |
| 1440-8M-50  | 1440              | 180          |
| 1520-8M-50  | 1520              | 190          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1552-8M-50  | 1552              | 194          |
| 1600-8M-50  | 1600              | 200          |
| 1680-8M-50  | 1680              | 210          |
| 1696-8M-50  | 1696              | 212          |
| 1728-8M-50  | 1728              | 216          |
| 1760-8M-50  | 1760              | 220          |
| 1800-8M-50  | 1800              | 225          |
| 1904-8M-50  | 1904              | 238          |
| 1936-8M-50  | 1936              | 242          |
| 2000-8M-50  | 2000              | 250          |
| 2080-8M-50  | 2080              | 260          |
| 2104-8M-50  | 2104              | 263          |
| 2240-8M-50  | 2240              | 280          |
| 2248-8M-50  | 2248              | 281          |
| 2272-8M-50  | 2272              | 284          |
| 2400-8M-50  | 2400              | 300          |
| 2504-8M-50  | 2504              | 313          |
| 2600-8M-50  | 2600              | 325          |
| 2800-8M-50  | 2800              | 350          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 320-8M-85   | 320               | 40           |
| 376-8M-85   | 376               | 47           |
| 424-8M-85   | 424               | 53           |
| 480-8M-85   | 480               | 60           |
| 512-8M-85   | 512               | 64           |
| 520-8M-85   | 520               | 65           |
| 560-8M-85   | 560               | 70           |
| 576-8M-85   | 576               | 72           |
| 600-8M-85   | 600               | 75           |
| 608-8M-85   | 608               | 76           |
| 624-8M-85   | 624               | 78           |
| 632-8M-85   | 632               | 79           |
| 640-8M-85   | 640               | 80           |
| 656-8M-85   | 656               | 82           |
| 680-8M-85   | 680               | 85           |
| 712-8M-85   | 712               | 89           |
| 720-8M-85   | 720               | 90           |
| 760-8M-85   | 760               | 95           |
| 776-8M-85   | 776               | 97           |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 784-8M-85   | 784               | 98           |
| 800-8M-85   | 800               | 100          |
| 824-8M-85   | 824               | 103          |
| 840-8M-85   | 840               | 105          |
| 848-8M-85   | 848               | 106          |
| 856-8M-85   | 856               | 107          |
| 880-8M-85   | 880               | 110          |
| 896-8M-85   | 896               | 112          |
| 912-8M-85   | 912               | 114          |
| 920-8M-85   | 920               | 115          |
| 960-8M-85   | 960               | 120          |
| 976-8M-85   | 976               | 122          |
| 1000-8M-85  | 1000              | 125          |
| 1040-8M-85  | 1040              | 130          |
| 1056-8M-85  | 1056              | 132          |
| 1064-8M-85  | 1064              | 133          |
| 1080-8M-85  | 1080              | 135          |
| 1096-8M-85  | 1096              | 137          |
| 1120-8M-85  | 1120              | 140          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1128-8M-85  | 1128              | 141          |
| 1160-8M-85  | 1160              | 145          |
| 1184-8M-85  | 1184              | 148          |
| 1200-8M-85  | 1200              | 150          |
| 1216-8M-85  | 1216              | 152          |
| 1224-8M-85  | 1224              | 153          |
| 1248-8M-85  | 1248              | 156          |
| 1256-8M-85  | 1256              | 157          |
| 1264-8M-85  | 1264              | 158          |
| 1280-8M-85  | 1280              | 160          |
| 1304-8M-85  | 1304              | 163          |
| 1328-8M-85  | 1328              | 166          |
| 1344-8M-85  | 1344              | 168          |
| 1360-8M-85  | 1360              | 170          |
| 1400-8M-85  | 1400              | 175          |
| 1424-8M-85  | 1424              | 178          |
| 1432-8M-85  | 1432              | 179          |
| 1440-8M-85  | 1440              | 180          |
| 1520-8M-85  | 1520              | 190          |

| PART NUMBER | PITCH LENGTH (MM) | NO. OF TEETH |
|-------------|-------------------|--------------|
| 1552-8M-85  | 1552              | 194          |
| 1600-8M-85  | 1600              | 200          |
| 1680-8M-85  | 1680              | 210          |
| 1696-8M-85  | 1696              | 212          |
| 1728-8M-85  | 1728              | 216          |
| 1760-8M-85  | 1760              | 220          |
| 1800-8M-85  | 1800              | 225          |
| 1904-8M-85  | 1904              | 238          |
| 1936-8M-85  | 1936              | 242          |
| 2000-8M-85  | 2000              | 250          |
| 2080-8M-85  | 2080              | 260          |
| 2104-8M-85  | 2104              | 263          |
| 2240-8M-85  | 2240              | 280          |
| 2248-8M-85  | 2248              | 281          |
| 2272-8M-85  | 2272              | 284          |
| 2400-8M-85  | 2400              | 300          |
| 2504-8M-85  | 2504              | 313          |
| 2600-8M-85  | 2600              | 325          |
| 2800-8M-85  | 2800              | 350          |

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

**EXPEDITED SHIPPING:** Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.

**EXAMPLE SIZING:**

Part Number: 1256-8M-50

1256 = 1256 mm Pitch Length 8M = Profile & Construction 50 = 50 mm Belt Width

Part Number: 2080-8M-85

2080 = 2080 mm Pitch Length 8M = Profile & Construction 50 = 50 mm Belt Width





SAMPLE PART # : 1778-14M-115

### OMEGA TIMING

14M SECTION 14 MM PITCH

| PART NUMBER  | PITCH LENGTH (MM) | NO. OF TEETH | PART NUMBER  | PITCH LENGTH (MM) | NO. OF TEETH | PART NUMBER  | PITCH LENGTH (MM) | NO. OF TEETH | PART NUMBER  | PITCH LENGTH (MM) | NO. OF TEETH |
|--------------|-------------------|--------------|--------------|-------------------|--------------|--------------|-------------------|--------------|--------------|-------------------|--------------|
| 924-14M-40   | 924               | 66           | 1610-14M-40  | 1610              | 115          | 2450-14M-40  | 2450              | 175          | 3850-14M-40  | 3850              | 275          |
| 966-14M-40   | 966               | 69           | 1778-14M-40  | 1778              | 127          | 2590-14M-40  | 2590              | 185          | 4004-14M-40  | 4004              | 286          |
| 1092-14M-40  | 1092              | 78           | 1890-14M-40  | 1890              | 135          | 2800-14M-40  | 2800              | 200          | 4326-14M-40  | 4326              | 309          |
| 1190-14M-40  | 1190              | 85           | 2100-14M-40  | 2100              | 150          | 3150-14M-40  | 3150              | 225          | 4578-14M-40  | 4578              | 327          |
| 1400-14M-40  | 1400              | 100          | 2310-14M-40  | 2310              | 165          | 3500-14M-40  | 3500              | 250          |              |                   |              |
| 924-14M-55   | 924               | 66           | 1610-14M-55  | 1610              | 115          | 2450-14M-55  | 2450              | 175          | 3850-14M-55  | 3850              | 275          |
| 966-14M-55   | 966               | 69           | 1778-14M-55  | 1778              | 127          | 2590-14M-55  | 2590              | 185          | 4004-14M-55  | 4004              | 286          |
| 1092-14M-55  | 1092              | 78           | 1890-14M-55  | 1890              | 135          | 2800-14M-55  | 2800              | 200          | 4326-14M-55  | 4326              | 309          |
| 1190-14M-55  | 1190              | 85           | 2100-14M-55  | 2100              | 150          | 3150-14M-55  | 3150              | 225          | 4578-14M-55  | 4578              | 327          |
| 1400-14M-55  | 1400              | 100          | 2310-14M-55  | 2310              | 165          | 3500-14M-55  | 3500              | 250          |              |                   |              |
| 924-14M-85   | 924               | 66           | 1610-14M-85  | 1610              | 115          | 2450-14M-85  | 2450              | 175          | 3850-14M-85  | 3850              | 275          |
| 966-14M-85   | 966               | 69           | 1778-14M-85  | 1778              | 127          | 2590-14M-85  | 2590              | 185          | 4004-14M-85  | 4004              | 286          |
| 1092-14M-85  | 1092              | 78           | 1890-14M-85  | 1890              | 135          | 2800-14M-85  | 2800              | 200          | 4326-14M-85  | 4326              | 309          |
| 1190-14M-85  | 1190              | 85           | 2100-14M-85  | 2100              | 150          | 3150-14M-85  | 3150              | 225          | 4578-14M-85  | 4578              | 327          |
| 1400-14M-85  | 1400              | 100          | 2310-14M-85  | 2310              | 165          | 3500-14M-85  | 3500              | 250          |              |                   |              |
| 924-14M-115  | 924               | 66           | 1610-14M-115 | 1610              | 115          | 2450-14M-115 | 2450              | 175          | 3850-14M-115 | 3850              | 275          |
| 966-14M-115  | 966               | 69           | 1778-14M-115 | 1778              | 127          | 2590-14M-115 | 2590              | 185          | 4004-14M-115 | 4004              | 286          |
| 1092-14M-115 | 1092              | 78           | 1890-14M-115 | 1890              | 135          | 2800-14M-115 | 2800              | 200          | 4326-14M-115 | 4326              | 309          |
| 1190-14M-115 | 1190              | 85           | 2100-14M-115 | 2100              | 150          | 3150-14M-115 | 3150              | 225          | 4578-14M-115 | 4578              | 327          |
| 1400-14M-115 | 1400              | 100          | 2310-14M-115 | 2310              | 165          | 3500-14M-115 | 3500              | 250          |              |                   |              |
| 924-14M-170  | 924               | 66           | 1610-14M-170 | 1610              | 115          | 2450-14M-170 | 2450              | 175          | 3850-14M-170 | 3850              | 275          |
| 966-14M-170  | 966               | 69           | 1778-14M-170 | 1778              | 127          | 2590-14M-170 | 2590              | 185          | 4004-14M-170 | 4004              | 286          |
| 1092-14M-170 | 1092              | 78           | 1890-14M-170 | 1890              | 135          | 2800-14M-170 | 2800              | 200          | 4326-14M-170 | 4326              | 309          |
| 1190-14M-170 | 1190              | 85           | 2100-14M-170 | 2100              | 150          | 3150-14M-170 | 3150              | 225          | 4578-14M-170 | 4578              | 327          |
| 1400-14M-170 | 1400              | 100          | 2310-14M-170 | 2310              | 165          | 3500-14M-170 | 3500              | 250          |              |                   |              |

## CUT TO SIZE WIDTHS

If you need a custom width timing belt, OPTIBELT has you covered. Each OPTIBELT facility can cut custom widths. This means you don't have to wait for a manufactured factory order. If it is stocked it can ship!

OMEGA 14M  
OMEGA TIMING

### EXAMPLE SIZING:

Part Number: 1778-14M-40

1778 = 1778 mm Pitch Length 14M = Profile & Construction 40 = 40 mm Belt Width

Part Number: 3850-14M-115

3850 = 3850 mm Pitch Length 14M = Profile & Construction 115 = 115 mm Belt Width

Contact an OPTIBELT representative regarding additional sizes, stock availability and pricing.

**EXPEDITED SHIPPING:** Each OPTIBELT warehouse facility cuts timing belts to width for faster order service.