




CATALOGO CATENA




I NOSTRI PRODOTTI A MAGAZZINO

CATENA SEMPLICE




ISO Nr.	p mm	b ₁ mm min.	b ₂ mm max.	d ₁ mm h9	d ₃ mm h10	l ₁ mm	l ₂ mm	g mm	s ₁ mm	s ₂ mm	f mm ²	F _b kN min.	Q kg/m
04B-1	6,000	2,80	4,10	1,85	4,00	6,8	7,8	5,0	0,60	0,60	8	3,0	0,11
05B-1	8,000	3,00	4,77	2,31	5,00	8,6	11,7	7,1	0,75	0,75	11	5,0	0,20
06B-1 ^{a)}	9,525	5,72	8,53	3,28	6,35	13,5	16,8	8,2	1,30	1,30	28	9,0	0,41
08B-1	12,700	7,75	11,30	4,45	8,51	17,0	20,9	11,8	1,60	1,60	50	18,0	0,69
10B-1	15,875	9,65	13,28	5,08	10,16	19,6	23,7	14,7	1,60	1,60	67	22,4	0,93
12B-1	19,050	11,68	15,62	5,72	12,07	22,7	27,3	14,7	1,80	1,80	89	29,0	1,15
16B-1	25,400	17,02	25,45	8,28	15,88	36,1	41,5	21,0	3,50	3,00	210	60,0	2,71
20B-1	31,750	19,56	29,00	10,19	19,05	41,2	46,0	26,0	4,50	3,50	296	95,0	3,70
24B-1	38,100	25,40	37,90	14,63	25,40	53,4	58,5	33,4	6,00	5,00	554	160,0	7,10
28B-1 ^{h)}	44,450	30,99	46,50	15,90	27,94	65,0	69,6	36,6	7,00	6,00	739	200,0	9,10
32B-1 ^{h)}	50,800	30,99	45,50	17,81	29,21	65,2	73,1	41,8	7,00	6,00	810	250,0	9,70
40B-1 ^{h)}	63,500	38,10	55,70	22,89	39,37	80,4	86,3	52,0	8,00	8,00	1275	380,0	16,80
48B-1 ^{h)}	76,200	45,72	70,50	29,24	48,26	99,1	107,9	63,4	12,00	10,00	2061	600,0	25,90
56B-1 ^{h)}	88,900	53,34	81,33	34,32	53,98	117,0	137,0	77,85	13,00	12,00	2791	850,0	35,78
64B-1 ^{h) a)}	101,60	60,96	92,00	39,40	63,50	130,0	138,5	90,17	15,00	13,00	3625	1120	46,00
72B-1 ^{h) a)}	114,30	68,58	103,8	44,50	72,39	147,4	156,4	103,6	17,00	15,00	4619	1400	60,80

CATENA DOPPIA





ISO Nr.	p mm	b ₁ mm min.	b ₂ mm max.	d ₁ mm h9	d ₃ mm h10	l ₁ mm	l ₂ mm	g mm	s ₁ mm	s ₂ mm	e mm	f mm ²	F _s kN min.	Q kg/m
05B - 2	8,000	3,00	4,77	2,31	5,00	14,3	17,4	7,1	0,75	0,75	5,64	22	7,8	0,40
06B - 2 ^{a)}	9,525	5,72	8,53	3,28	6,35	23,8	27,1	8,2	1,30	1,30	10,24	56	16,9	0,82
08B - 2	12,700	7,75	11,30	4,45	8,51	31,0	34,9	11,8	1,60	1,60	13,92	101	32,0	1,30
10B - 2	15,875	9,65	13,28	5,08	10,16	36,2	40,3	14,7	1,60	1,60	16,59	134	44,5	1,80
12B - 2	19,050	11,68	15,62	5,72	12,07	42,2	46,8	14,7	1,80	1,80	19,46	179	57,8	2,50
16B - 2	25,400	17,02	25,45	8,28	15,88	68,0	73,4	21,0	3,50	3,00	31,88	421	110,0	5,20
20B - 2	31,750	19,56	29,00	10,19	19,05	77,7	82,5	26,0	4,50	3,50	36,45	591	170,0	7,50
24B - 2	38,100	25,40	37,90	14,63	25,40	101,0	106,9	33,4	6,00	5,00	48,36	1109	280,0	13,90
28B - 2 ¹⁾	44,450	30,99	46,50	15,90	27,94	124,0	129,2	36,6	7,00	6,00	59,56	1479	360,0	18,00
32B - 2 ¹⁾	50,800	30,99	45,50	17,81	29,21	123,8	131,7	41,8	7,00	6,00	58,55	1621	450,0	19,00
40B - 2 ¹⁾	63,500	38,10	55,70	22,89	39,37	152,7	158,6	52,0	8,00	8,00	72,29	2550	630,0	33,5
48B - 2 ¹⁾	76,200	45,72	70,50	29,24	48,26	190,0	199,1	63,4	12,00	10,00	91,21	4123	1000	48,60
56B - 2 ¹⁾	88,900	53,34	81,33	34,32	53,98	223,0	243,6	77,85	13,00	12,00	106,60	5582	1600	70,00
64B - 2 ^{1) a)}	101,60	60,96	92,00	39,40	63,50	250,0	258,4	90,17	15,00	13,00	119,36	7250	2000	91,00
72B - 2 ^{1) a)}	114,30	68,58	103,8	44,50	72,39	283,7	292,7	103,6	17,00	15,00	136,27	9240	2500	120,4

CATENA TRIPLA




ISO Nr.	p mm	b ₁ mm min.	b ₂ mm max.	d ₁ mm h9	d ₃ mm h10	l ₁ mm	l ₂ mm	g mm	s ₁ mm	s ₂ mm	e mm	f mm ²	F _s kN min.	Q kg/m
05B - 3	8,000	3,00	4,77	2,31	5,00	19,9	23,0	7,1	0,75	0,75	5,64	33	11,1	0,5
06B - 3 ²⁾	9,525	5,72	8,53	3,28	6,35	34,0	37,3	8,2	1,30	1,30	10,24	84	24,9	1,2
08B - 3	12,700	7,75	11,30	4,45	8,51	44,9	48,8	11,8	1,60	1,60	13,92	151	47,5	2,0
10B - 3	15,875	9,65	13,28	5,08	10,16	52,6	56,9	14,7	1,60	1,60	16,59	202	66,7	2,8
12B - 3	19,050	11,68	15,62	5,72	12,07	61,7	66,3	14,7	1,80	1,80	19,46	268	86,7	3,8
16B - 3	25,400	17,02	25,45	8,28	15,88	99,9	105,3	21,0	3,50	3,00	31,88	631	165,0	7,7
20B - 3	31,750	19,56	29,00	10,19	19,05	114,1	118,9	26,0	4,50	3,50	36,45	887	250,0	11,2
24B - 3	38,100	25,40	37,90	14,63	25,40	150,0	155,2	33,4	6,00	5,00	48,36	1663	425,0	20,7
28B - 3 ¹⁾	44,450	30,99	46,50	15,90	27,94	184,0	188,8	36,6	7,00	6,00	59,56	2218	530,0	27,0
32B - 3 ¹⁾	50,800	30,99	45,50	17,81	29,21	181,0	190,2	41,8	7,00	6,00	58,55	2431	670,0	28,3
40B - 3 ¹⁾	63,500	38,10	55,70	22,89	39,37	225,0	230,9	52,0	8,00	8,00	72,29	3825	950,0	43,3
48B - 3 ¹⁾	76,200	45,72	70,50	29,24	48,26	281,0	290,3	63,4	12,00	10,00	91,21	6184	1500	72,5
56B - 3 ¹⁾	88,900	53,34	81,33	34,32	53,98	330,5	350,2	77,85	13,00	12,00	106,60	8373	2240	105,0
64B - 3 ¹⁾²⁾	101,60	60,96	92,00	39,40	63,50	369,8	378,3	90,17	15,00	13,00	119,36	10874	3000	136,0
72B - 3 ¹⁾²⁾	114,30	68,58	103,8	44,50	72,39	420,0	429,0	103,6	17,00	15,00	136,27	13757	3750	180,0

CATENA INOX



ISO Nr.	p mm	b ₁ mm min.	b ₂ mm max.	d ₁ mm h9	d ₃ mm h10	l ₁ mm	l ₂ mm	g mm	s ₁ mm	s ₂ mm	f mm ²	F ₀ kN min.	Q kg/m
06B-1SS ²⁾	9,525	5,72	8,53	3,28	6,35	13,5	16,8	8,2	1,30	1,30	28	6,2	0,41
08B-1SS	12,700	7,75	11,30	4,45	8,51	17,0	20,9	11,8	1,60	1,60	50	12,0	0,69
10B-1SS	15,875	9,65	13,28	5,08	10,16	19,6	23,7	14,7	1,60	1,60	67	14,5	0,93
12B-1SS	19,050	11,68	15,62	5,72	12,07	22,7	27,3	14,7	1,80	1,80	89	18,5	1,15
16B-1SS	25,400	17,02	25,45	8,28	15,88	36,1	41,5	21,0	3,50	3,00	210	40,0	2,71
20B-1SS	31,750	19,56	29,00	10,19	19,05	41,2	46,0	26,0	4,50	3,50	296	59,0	3,70

CATENA MAGLIA PIANA



ISO Nr.	p mm	b ₁ mm min.	b ₂ mm max.	d ₁ mm h9	d ₃ mm h10	l ₁ mm	l ₂ mm	g mm	s ₁ mm	s ₂ mm	f mm ²	F _B kN min.	Q kg/m
06B-1RD	9,525	5,72	8,53	3,28	6,35	13,5	16,8	8,2	1,30	1,30	28	9,0	0,41
08B-1RD	12,700	7,75	11,30	4,45	8,51	16,7	18,2	11,8	1,60	1,60	50	18,0	0,80
10B-1RD	15,875	9,65	13,28	5,08	10,16	19,5	20,9	14,7	1,70	1,70	67	22,4	1,06
12B-1RD	19,05	11,68	15,62	5,72	12,07	22,5	25,2	16,0	1,85	1,85	89	29,0	1,32
16B-1RD	25,40	17,02	25,45	8,28	15,88	36,1	41,5	21,0	3,50	3,00	210	60,0	3,00
16B-1RDX	25,40	17,02	25,45	8,28	15,88	36,1	41,5	24,0	3,50	3,00	210	60,0	3,00
20B-1RD	31,75	19,56	29,00	10,19	19,05	41,2	46,0	26,0	4,50	3,50	296	95,0	4,10
24B-1RD	38,10	25,40	37,90	14,63	25,40	53,4	58,5	33,4	6,00	5,00	554	160,0	7,90
28B-1RD ¹⁾	44,45	30,99	46,50	15,90	27,94	65,0	69,6	36,6	7,00	6,00	739	200,0	9,50
32B-1RD ¹⁾	50,80	30,99	45,50	17,81	29,21	65,2	73,1	41,8	7,00	6,00	810	250,0	10,60
40B-1RD ¹⁾	63,50	38,10	55,70	22,89	39,37	80,4	86,3	52,0	8,00	8,00	1275	380,0	18,50
48B-1RD ¹⁾	76,20	45,72	70,50	29,24	48,26	99,1	107,9	63,4	12,00	10,00	2061	600,0	28,50
56B-1RD ¹⁾	88,90	53,34	81,33	34,32	53,98	117,0	137,0	77,85	13,00	12,00	2791	850,0	35,78
64B-1RD ¹⁾	101,60	60,96	92,00	39,40	63,50	130,0	138,5	90,17	15,00	13,00	3625	1120	60,00
72B-1RD ¹⁾	114,30	68,58	103,8	44,50	72,39	147,4	156,4	103,6	17,00	15,00	4619	1400	80,00